

## SSH - HL1

Sample ID: BIA241212S0018  
 Strain: Super Silver Haze

Produced:  
 Collected:  
 Received: 12/13/2024  
 Completed: 12/20/2024  
 Batch#:

Client  
**Knotted Root**  
 Lic. # SCLT0404  
 294 Farm Rd.  
 Arlington, VT 05250

Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 9.5 g  
 Lot#:



### Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	12/18/2024	Complete
Moisture	12/13/2024	10.60% - Complete
Water Activity	12/13/2024	0.529 aw - Complete
Terpenes	12/17/2024	Complete
Microbials	12/16/2024	Complete

### Cannabinoids

Completed

<b>24.72%</b> Total THC	<b>0.08%</b> Total CBD	<b>30.77%</b> Total Cannabinoids
----------------------------	---------------------------	-------------------------------------

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBDVa	0.0005	<LOQ	<LOQ	
CBDV	0.0012	<LOQ	<LOQ	
CBDa	0.0008	0.09	0.9	
CBGa	0.0008	2.34	23.4	
CBG	0.0019	0.17	1.7	
CBD	0.0019	<LOQ	<LOQ	
THCV	0.0021	<LOQ	<LOQ	
CBN	0.0013	<LOQ	<LOQ	
Δ9-THC	0.0020	0.49	4.9	
Δ8-THC	0.0019	0.04	0.4	
Δ10-THC	0.0002	<LOQ	<LOQ	
CBC	0.0024	<LOQ	<LOQ	
THCa	0.0034	27.62	276.2	
<b>Total THC</b>		<b>24.72</b>	<b>247.20</b>	
<b>Total CBD</b>		<b>0.08</b>	<b>0.82</b>	
<b>Total</b>		<b>30.77</b>	<b>307.68</b>	<b>0.00</b>

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: &lt; LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




Luke Emerson-Mason  
 Laboratory Director  
 12/20/2024

Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



## SSH - HL1

 Sample ID: BIA241212S0018  
 Strain: Super Silver Haze

 Produced:  
 Collected:  
 Received: 12/13/2024  
 Completed: 12/20/2024  
 Batch#:

 Client  
**Knotted Root**  
 Lic. # SCLT0404  
 294 Farm Rd.  
 Arlington, VT 05250


 Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 9.5 g  
 Lot#:

## Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	3.977	0.398
Ocimene	0.010	3.562	0.356
Limonene	0.010	3.299	0.330
β-Pinene	0.010	3.115	0.311
3-Carene	0.010	2.589	0.259
β-Caryophyllene	0.010	2.268	0.227
α-Pinene	0.010	1.870	0.187
α-Humulene	0.010	0.959	0.096
α-Terpinene	0.010	0.870	0.087
Linalool	0.010	0.705	0.070
γ-Terpinene	0.010	0.626	0.063
Eucalyptol	0.010	0.140	0.014
Camphene	0.010	0.037	0.004
α-Bisabolol	0.010	<LOQ	<LOQ
Caryophyllene Oxide	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
Terpinolene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
<b>Total</b>		<b>24.017</b>	<b>2.402</b>

## Primary Aromas



Analyst: 045

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: &lt; LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason  
 Laboratory Director  
 12/20/2024

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


## LP, SSH, RPOG, AT, MF - HL1

 Sample ID: BIA241212S0022  
 Strain: LP, SSH, RPOG, AT, MF - HL1

 Produced:  
 Collected:  
 Received: 12/13/2024  
 Completed: 12/20/2024  
 Batch#:

 Client  
**Knotted Root**  
 Lic. # SCLT0404  
 294 Farm Rd.  
 Arlington, VT 05250

 Matrix: Plant  
 Type: Flower - Cured  
 Sample Size:  
 Lot#:

### Pesticides

Completed

Category 1 Pesticides	LOQ	Results
	PPM	PPM
Chlorpyrifos	0.0010	<LOQ
Imazalil	0.0010	<LOQ
Category 2 Pesticides	LOQ	Results
	PPM	PPM
Abamectin	0.0100	<LOQ
Acephate	0.0010	<LOQ
Acequinocyl	0.0010	<LOQ
Azoxystrobin	0.0010	<LOQ
Bifenazate	0.0010	<LOQ
Bifenthrin	0.0010	<LOQ
Carbaryl	0.0010	<LOQ
Cypermethrin	0.0100	<LOQ
Etoxazole	0.0010	<LOQ
Imidacloprid	0.0010	<LOQ
Myclobutanil	0.0010	<LOQ
Pyrethrins	0.0020	<LOQ
Spinosyn A	0.0010	<LOQ
Spinosyn D	0.0010	<LOQ

Analyst: 048

Pesticides Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

ppm = parts per million

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason  
 Laboratory Director  
 12/20/2024

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


**SSH - HL1**

Sample ID: BIA241212S0018  
Strain: Super Silver Haze

Produced:  
Collected:  
Received: 12/13/2024  
Completed: 12/20/2024  
Batch#:

Client  
**Knotted Root**  
Lic. # SCLT0404  
294 Farm Rd.  
Arlington, VT 05250

Matrix: Plant  
Type: Flower - Cured  
Sample Size: 9.5 g  
Lot#:

**Pathogens**

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes




Luke Emerson-Mason  
Laboratory Director  
12/20/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

